



U.S. Department of Transportation
Research and Special Programs Administration

Hazardous Materials Incident Report

Form Approval OMB No. 3137-0039

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 2137-0039. The filling out of this information is mandatory and will take 96 minutes to complete.

INSTRUCTIONS

Submit this report to the Information Systems Manager, U.S. Department of Transportation, Pipeline and Hazardous Materials Safety Administration, Office of Hazardous Materials Safety, DHM-63, Washington, D.C. 20590-0001. If space provided for any item is inadequate, use a separate sheet of paper, identifying the entry number being completed. Copies of this form and instructions can be obtained from the Office of Hazardous Materials Website at <http://hazmat.dot.gov>. If you have any questions, you can contact the Hazardous Materials Information Center at 1-800-HMR-4922 (1-800-467-4922) or online at <http://hazmat.dot.gov>.

PART I - REPORT TYPE

1. Incident Id: E-2010080457
2. This is to report: A

PART II - GENERAL INCIDENT INFORMATION

3. Date of Incident:
07/27/2010
4. Time of Incident (use 24-hour time):
07:00
5. Enter National Response Center Report Number
(if applicable):
6. If you submitted a report to another Federal DOT agency, enter
the agency and report number:
7. Location of Incident:
- City: ST. PAUL
County: RAMSEY
State: MN
Zip Code: (if known): 55102
Street Address/Mile Marker/Yard Name/Airport/Body of Water/River Mile:
395 James Avenue
8. Mode of Transportation: Highway
9. Transportation Phase: Unloading
10. Carrier/Reporter:
- Name: Ashland Distribution
Street: 395 James avenue
City: SAINT PAUL
State: MN
Zip Code: 55102
Federal DOT Id Number: Hazmat Registration Number:
11. Shipper/Officer:
- Name: Blue Island Phenol
Street: 3350 West 131st Street
City: BLUE ISLAND
State: IL
Zip Code: 60406
Waybill/Shipping Paper: Hazmat Registration Number:
12. Origin (if different from shipper address)
- Street:
City:
State:
Zip Code:
13. Destination:
- Street: 395 James Avenue
City: SAINT PAUL
State: MN
Zip Code: 55102
14. Proper Shipping Name of Hazardous
Material: ACETONE
15. Technical/Trade Name: Acetone
16. Hazardous Class/Division: Flammable - Combustible Liquid
17. Identification Number: (E.g. UN2764, NA 2020) UN1090

- 18. Packing Group:** (if applicable) II
- 19. Quantity Released:** (Include Measurement Units) 195 Liquid - Gallon
- 20. Was the material shipped as a hazardous waste?** False
If yes, provide the EPA Manifest Number:
- 21. Is this a Toxic by Inhalation (TIH) material?** False
If yes, provide the Hazard Zone:
- 22. Was the material shipped under an Exemption, Approval, or Competent Authority Certificate?** False
If yes, provide the Exemption, Approval, or CA number:
- 23. Was this an undeclared hazardous materials shipment?** False

PART III - PACKAGING INFORMATION

24. Check Packaging Type (check only one - if more than one, list type of packaging, copy Part III, and complete for each type:

Other, Storage tank

25. See instructions and enter the appropriate failure codes found at the end of the instructions. Be sure to enter the codes from the list that corresponds to the particular packaging type checked above. Enter the number of codes as appropriate to describe the incident.

Enter the most important failure point in line 1. If there are more than two failure points, provide in this format in part VI.

What Failed: - 122-Gauging Device

How Failed: - 308-Leaked

Causes of Failure: - Overfilled

26a. Provide the packaging identification markings, if available.

Identification Markings: NO MARKINGS GIVEN

(Examples: 1A1/Y1.4/150/92/USA/RB/93/RL, UN31H1/Y0493/USA/M9339/10800/1200, DOT - 105A - 100W (RAIL), DOT 406 (HIGHWAY), DOT 51, DOT 3-A)

26b. For Non-bulk, IBC, or non-specification packaging, if identification markings are incomplete or unavailable, see instructions and complete the following:

Single Package or Outer Packaging:	Single Package or Inner Packaging (if any):
Packaging Type: Material of Construction: Head Type (Drums only):	Packaging Type: Material of Construction:
27. Describe the package capacity and the quantity:	
Single Package or Outer Packaging:	Single Package or Inner Packaging (if any):
Package Capacity: 12000 Liquid - Gallon Amount in Package: 12000 Liquid - Gallon Number in Shipment: Number Failed:	Package Capacity: Amount in Package: Number in Shipment: Number Failed:
28. Provide packaging construction and test information, as appropriate: Manufacturer: Serial Number: Material of Construction: (if Tank Car, CTMV, Portable Tank, or Cylinder) Design Pressure: (if Tank Car, CTMV, Portable Tank) Shell Thickness: (if Tank Car, CTMV, Portable Tank) Head Thickness: (if Tank Car, CTMV) Service Pressure: (if Cylinder) If valve or device failed: Type: Model: Manufacturer:	
29. If the packaging is for Radioactive Materials, complete the following: Packaging Category: Packaging Certification: Certification Number: Nuclide(s) Present: Transport Index: Activity: Critical Safety Index:	

PART IV – CONSEQUENCES

30. Result of Incident (check all that apply):

- | | | | |
|---------------------------|-------|--|-------|
| - Spillage: | True | - Fire: | False |
| - Explosion: | False | - Material Entered Waterway/Storm Sewer: | False |
| - Vapor (Gas) Dispersion: | False | - Environmental Damage: | False |
| - No Release: | False | | |

31. Emergency Response: The following entities responded to the incident: (Check all that apply)

- Fire/EMS Report #: False
Police Report #: False
In-house cleanup: True
Other Cleanup: False

32. Damages Was the total damage cost more than \$500?

False

If yes, enter the following information: (If no, go to question 33.)

Material Loss: \$ 0.00
Carrier Damage: \$ 0.00
Property Damage: \$ 0.00
Response Cost: \$ 0.00
Remediation/Cleanup Cost: \$ 0.00
(See damage definitions in the instructions)

33a. Did the hazardous material cause or contribute to a human fatality?

False

If yes, enter the number of fatalities resulting from the hazardous material:

Employees: 0
Responders: 0
General Public: 0

33b. Were there human fatalities that did not result from the hazardous material?

False

If yes, how many? 0

34. Did the hazardous material cause or contribute to personal injury?

False

If yes, enter the number of injuries resulting from the hazardous material:

Hospitalized (Admitted Only):

Employees: 0
Responders: 0
General Public: 0

Non-Hospitalized:

(e.g.: On site first aid or Emergency Room observation and release)

Employees: 0
Responders: 0
General Public: 0

35. Did the hazardous material cause or contribute to an evacuation?

False

If yes, provide the following information:

Total number of general public evacuated: 0
Total number of employees evacuated: 0
Total evacuated: 0
Duration of the evacuation: 0

36. Was a major transportation artery or facility closed?

False

If yes, how many? 0

37. Was the material involved in a crash or derailment?

False

If yes, provide the following information:

Estimated speed (mph): 0
Weather conditions:
Vehicle overturned?
Vehicle left roadway/track?

PART V - AIR INCIDENT INFORMATION (please refer to S 175.31 to report a discrepancy for air shipments)

38. Was the shipment on a passenger aircraft?

If yes, was it tendered as cargo, or as passenger baggage?

39. Where did the incident occur (if unknown, check the appropriate box for the location where the incident was discovered)?

40. What phase(s) had the shipment already undergone prior to the incident? (Check all that apply)

- | | |
|--|--|
| - Shipment had not been transported | - Transported by air (first flight) |
| - Transport by air (subsequent flights) | - Initial transport by highway to cargo facility |
| - Transfer at sort center/cargo facility | |

PART VI - DESCRIPTION OF EVENTS & PACKAGE FAILURE

- Describe the sequence of events that led to the incident and the actions taken at the time it was discovered. Describe the package failure, including the size and location of holes, cracks, etc. Photographs and diagrams should be submitted if needed for clarification. Estimate the duration of the release, if possible. Describe what was done to mitigate the effects of the release. Continue on additional sheets if necessary.

Describe:

Operator measured storage tank to ensure 6810 gallons of material would fit in tank. He mistakenly calculated the 90% safe fill in the 12,000 gallon capacity tank to be 12,800 gallons when it is actually 10,800 gallons. The tank had 5435 gallons in it already and would not hold an additional 6810 gallons on the inbound tanker to be unloaded. The operator began to fill the storage tank from the tank truck unaware of his calculation error. He observed the storage tank beginning to run over and stopped pumping. 195 gallons spilled into the tank farm containment area. The spilled material was pumped into a tanker and disposed of properly. Entire amount was contained and cleaned up immediately.

PART VII - RECOMMENDATIONS/ACTIONS TAKEN TO PREVENT RECURRENCE

- Where you are able to do so, suggest or describe changes (such as additional training, use of better packaging, or improved operating procedures) to help prevent recurrence. Provide recommendations for improvement to hazardous materials transportation beyond the control of your individual company. Continue on additional sheets if necessary.

Describe:

Retrain employees on unloading procedure from bulk truck tanker to storage tank. Operators to fill out the receiving document using the complete 4 digit tank number to remind them of the tank size, for example 06 - - means 6000 gallon tank, 12 - - means 12000 gallon tank and 24 - - means 24000 gallon tank. Operator will also be required to have another employee double check their safe fill and amount to be transferred calculations to tank to verify there is capacity to hold material.

PART VIII - CONTACT INFORMATION

Contact's Name:	Ross Pope
Contact's Title:	Facility Manager
Business Name and Address:	Ashland Distribution 395 James avenue SAINT PAUL MN 55102
E-mail Address:	rdpope@ashland.com
Telephone Number:	651-227-3440
Fax Number:	651-227-9082
Hazmat Registration Number:	090502
Date:	08/23/2010
Preparer is:	Facility owner/operator